

## Standard Pipe - Schedule 40

PIPE SIZE	OD	WALL	ID	INT AREA	WT/ FT	GPM @ 2 FPS	GPM @ 5 FPS	GPM @ 10 FPS	GPM @ 15 FPS	GPM @ 20 FPS	GPM @ 25 FPS
1/8	.405	.068	.269	.057	.245	.35	.89	1.8	2.7	3.5	4.4
1/4	.540	.088	.364	.104	.425	.65	1.6	3.2	4.9	6.5	8.1
3/8	.675	.091	.493	.191	.567	1.2	3.0	6.0	9.0	12.0	15.0
1/2	.840	.109	.622	.304	.852	1.9	4.8	9.5	12.0	19.0	23.8
3/4	1.050	.113	.824	.533	1.132	3.3	8.4	16.7	25.1	33.4	41.8
1	1.315	.133	1.049	.864	1.679	5.4	13.5	27.0	40.6	54.1	67.7
1 1/4	1.660	.140	1.380	1.495	2.273	9.4	23.4	46.8	70.3	93.7	117
1 1/2	1.900	.145	1.610	2.036	2.718	12.7	31.9	63.7	95.6	127	159
2	2.375	.154	2.067	3.356	3.653	21.0	52.5	105	157	210	263
2 1/2	2.875	.203	2.469	4.788	5.793	30.0	75.0	150	225	300	375
3	3.500	.216	3.068	7.393	7.575	46.3	116	232	347	463	579
3 1/2	4.000	.226	3.548	9.886	9.109	61.9	155	310	465	619	774
4	4.500	.237	4.026	12.73	10.79	79.7	199	399	598	797	997
4 1/2	5.000	.247	4.506	15.95	12.54	99.9	250	499	749	998	1249
5	5.563	.258	5.047	20.01	14.62	125	313	627	940	1253	1567
6	6.625	.280	6.065	28.89	18.97	181	452	904	1357	1810	2262
7	7.625	.301	7.023	38.74	23.54	243	607	1213	1820	2427	3033
8	8.625	.322	7.981	50.03	28.55	313	783	1567	2350	3134	3917
10	10.75	.365	10.02	78.85	40.48	494	1235	2470	3705	4940	6175
12	12.75	.406	11.94	111.9	53.56	701	1753	3506	5259	7012	8765



# BUTT WELD FITTINGS



# SEAMLESS PIPES



**SEAMLESS TUBES**



# FLANGES